


Enhance your cloud space with ease by installing these sleek and functional acoustic ceiling fins, which not only adds style and dimension but also provide exceptional sound absorption





SIZES

Length

24 in	36 in	48 in	60 in	72 in
84 in	96 in	Custom		

Height

6 in	8 in	10 in	12 in	Custom

Thickness

3/4 in

All sizes are nominal. Refer to Drawing files for actual si es.

ACOUSTIC COLOR OPTIONS

Basic Colors





Note: Colors come in recycled PET acoustic material. Custom acoustic colors are available with a minimum order quantity and will result in an upcharge and extended lead time.



ACOUSTIC FINS

These acoustic ceiling fins offer style and sound absorption in a sleek and easy-to-install design that adds function and dimension to your cloud space.





SIZES

Length



Height

				,	
6 in	8 in	10 in	12 in		Custom

Thickness

3/4 in

All sizes are nominal. Refer to Drawing files for actual si es.

FEATURES

Our acoustic Fins are simple to specify and simple to install. Available in 84 standard sizes and 17 standard colors, you can create the perfect solution for you project.

If you have a specific size or color request, customize it! Use our product selector on our website to tell us what color or size you are looking for, and we can help you make your own custom acoustic Fins.

- Made with 2 ply of 9mm PET acoustic felt.
- Made using eco-friendly materials and processes.
- Finished with recycled PET acoustic material.
- Slight color variations are expected.
- Easy to install.
- Class A fire rating, ASTM E-84 and CAN ULC S102 test.
- NRC Rating of 0.8
- Aircraft Cable or Unistrut suspension hardware is included.



ACOUSTIC FINS

These acoustic ceiling panels offer style and sound absorption in a sleek and easy-to-install design that adds function and dimension to your cloud space.

SPECIFICATIONS

Altispace Acoustic Fins 2 Ply Acoustic PET material
2 Ply Acoustic PET material
18mm
Lengths: 24 in, 36 in, 48 in, 60 in, 72 in, 84 in, 96 in Heights: 6 in, 8 in, 10 in, 12 in
Contract/Commercial
Dust and dirt on the Fins and suspension hardware can be removed with a vacuum. For stains, apply distilled water or carpet shampoo with a soft, lint-free cloth and blot dry. Refer to the Cleaning and Maintenance document for more details.
Products are made to order and certain lead times will apply.
Altispace Acoustic Blades are made using eco-friendly materials and practices. See page 4 for more details. For more information, contact 226-636-5965.
Custom sizes and colors are available and may result in a minimal upcharge. Further customizations are also available at an upcharge.
Colors of Acoustic finish on screen may vary from actual product.
Test reports available upon request. Refer to the Acoustic Information document for more details.
Class A fire rating, ASTM E-84 and CAN ULC S102 test. Test reports available upon request. Refer to the Fire Rating Information document for more details.
Aircraft cable (Refer to Suspension Hardware Information) Unistrut System (Refer to Suspension Hardware Information)
By installation contractor
Refer to Installation Guide for Acoustic Fins
Refer to Installation Guide for Acoustic Fins



ACOUSTIC FINS

These acoustic ceiling Fins offer style and sound absorption in a sleek and easy-to-install design that adds function and dimension to your cloud space.

THE ENVIRONMENT

The acoustic material is manufactured by recycling plastic bottle chips, used polyester fabric and other reused products.

THE PRODUCT

SPECS	BENEFITS
3D crimp staple fiber and recycled PET	Made from 100% polyester
Melted PET filaments joined together	No glue and adhesive
Combed filament and needle punched	Structurally rigid
Color injected into filament	Long color duration
Low water permeability and moisture absorption	Water resistant
Horizontal and vertical fibers woven together	Impact resistant
NRC rating - 0.8	Great acoustical performance
Non toxic, no odor and low VOC	Formaldehyde free
No risk of skin irritation or respiratory problems	Great for healthy environments
Pin-able facade finishing	Versatile finis
Heat treated up to 200°	Bacteria and fungi resistant
Stable PET material and panel structure	Excellent durability
Low-carbon and environmentally friendly	Recycled and recyclable

RECYCLED CONTENT

MATERIAL	PRE-CONSUMER	POST CONSUMER	TOTAL
Acoustic Material	45%	0%	45%

